

VISAKHAPATNAM URBAN DEVELOPMENT AUTHORITY

PROCEEDINGS OF THE VICE CHAIRMAN, VUDA, VISAKHAPATNAM PRESENT:: Dr. T.BABURAO NAIDU, PhD, IAS.
BUILDING PERMIT ORDER

Rc.No.10913/2015/L8, Dt:18-05-2016.

Sub:- VUDA - VSP - Planning - Approval of plans for proposed construction of Stilt, Ground, First, Second & Third floors Building of S.No.309, HIG Plot No. 8, Second Bit, Baba Metta Vuda Layout, Vizianagaram Municipality & District to an extent of 371.03 Sq.Mts - Applied by Sri. Ch.Surya Prakasa Rao, developed by M/s. Sri Sai Gowri Developers - Technical clearance accorded - Orders issued.

Read:- 1. Online Building application No.2015-BA-00581, Dt.19-12-2015 of Sri.Ch. Surya Prakasa Rao.

2.Orders of the Vice-Chairman, VUDA, Dt. 23-3-2016.

3. This office letter even No., Dt. 24-3-2016.

4.Letter Dt.6-4-2016 of Sri.Ch.Surya Prakasa Rao.

ORDER:-

Your application submitted in the reference 1^{st} cited has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below.

Α	APPLICATION AN	D LICENSED	PERSONAL D	ETAILS:						
1	Applicant	Sri.Ch.Surya Prakasa Rao								
2	Developer/Builder	ai Gowri s	Lic. No.	429/2015-18 (Valid upto 09-02-2019)						
3	Licensed Technical Person	Sri.K.Veer	raju	Lic. No.	140/2015-18/ Architect/VUDA Valid upto 08-11-2018)					
4	Structural Engineer	Sri.P.Srini	vasa Rao	Lic. No.	87/2014-17 (Valid upto 22-08-2017)					
5	Others									
В	SITE DETAILS									
1	T.S. No.		Sy.No.309							
2	Premises / D.No.									
3	Plot No.		HIG Plot No.8							
4	Layout / Sub Div. N	0.								
5	Street	Consul Bit Bakamatta Vuda Lavout								
6	Locality	Second Bit, Babametta Vuda Layout,								
7	Town / City		Vizianagaram Municipality & District							
С	DETAILS OF PERM	MISSION SA								
1	Floors	Stilt (Parking)	Ground Floor	First Floor	Second Floor	Third Floor				
2	Residential Use	Area(m²)	Area (m²)	Area (m²)	Area (m²)	Area (m ²)				
	Residential	183.71	183.71	183.71	183.71	183.71				
b	Commercial									
С	Others									
d	No. of floors (G+3 floors)									
	Setbacks (m)	Road Width in Mts.	As per G.O. Required	Proposed	Rema					
3	Front (West)	Page 148	6.00 M	6.00 M	Satisfied					
	Rear (East)		2.00 M	2.00 M	Satis	Satisfied				

Side (North)		T	2.00 M		2.00 M			Sati	sfied	·	
Side (South)						+	***************************************				
Green belt all-											
round site area			1.00		1.00			Satis	sfie	d	
Site Area (m²)	371.03 s	371.03 sq.mts.									
Vacant area (m²) 187.55 se	q.mts	5.								
Parking Area(m ²) Entire sti	Entire stilt floor for parking only 183.71 sq.mts.									
10% Mortgage		-									
Area provided (m²)	80.55 sq.	80.55 sq.mts. (First floor)									
Height (m)	As pe	As per G.O. Required			Proposed				Remarks		
					· · · · · · · · · · · · · · · · · · ·				Satisfied		
No. of RWHPs										acionica	
No. of Trees											
Others											
DETAILS OF FI	EES PAID (R	s.Ps)	TOTAL :	Rs.39,	305.00						
Processing Fee		Rs.				-					
Development ch	arges for	_									
built up area	t up area		RS. 18,3/1.00								
		Rs. 1,092.00		2.00							
toilets and powe	r room										
Vacant site char	ges	Rs.	Rs. 7,493.00								
Notification char	ges	Rs.	Rs. 5,000.00								
TOTAL CHARG	ES	Rs.	39,305	5.00		,					
OTHER DETAIL	-S :										
Contractor's all Risk Policy No.	2016-E0039	764-CAR		Dt.	03-02-2016		Valid Upto 02		02-0	2-02-20 19	
Notarized				Floor h	nanded	First					
Affidavit No.					over					183.71	
Entered in						1					
	The Comm	nissic	ner, Vi	izianag	aram	Munic	ipalit	v. V	'izia	nagaram	
prohibitory	rne Comn		,					- , , -		gararr	
property watch	The Comn District sha	ill tal	ke neces	sary a	ction.			7,		*.	
	District sha	ill tal	ke neces	ssary a						•	
property watch	District sha	ıll tal	ke neces	sary a	Withi			from		•	
property watch register Sl.No.	District sha	all tal	ke neces	ssary a	Withi	se of p	lans.	from	the	date of	
	Side (South) Green belt allround site area Site Area (m²) Road widening area (m²) Vacant area (m² Parking Area(m² 10% Mortgage Area provided (m²) Height (m) No. of RWHPs No. of Trees Others DETAILS OF FI Processing Fee Development che built up area Stilt & Terrace, Sifts & watch matoilets and power vacant site chares Notification chares TOTAL CHARG OTHER DETAIL Contractor's all Risk Policy No. Notarized Affidavit No.	Side (South) Green belt allround site area Site Area (m²) Road widening area (m²) Vacant area (m²) 10% Mortgage Area provided (m²) Height (m) No. of RWHPs No. of Trees Others DETAILS OF FEES PAID (Respondent charges for built up area Stilt & Terrace, Staircase, lifts & watch man room, toilets and power room Vacant site charges Notification charges TOTAL CHARGES OTHER DETAILS: Contractor's all Risk Policy No. Notarized Affidavit No.	Side (South) Green belt all- round site area Site Area (m²) Road widening area (m²) Vacant area (m²) Parking Area(m²) 10% Mortgage Area provided (m²) No. of RWHPs No. of Trees Others DETAILS OF FEES PAID (Rs.Ps) Processing Fee Development charges for built up area Stilt & Terrace, Staircase, lifts & watch man room, toilets and power room Vacant site charges Notification charges TOTAL CHARGES OTHER DETAILS: Contractor's all Risk Policy No. Notarized Affidavit No. A371.03 sq.mts A71.03 sq.mts Fentire stilt flo 187.55 sq.mts Fatire stilt flo 180.55 sq.mts Fentire stilt flo 12.0 Ras per G.O 12.0 1	Side (South) 2.00 M Green belt all- round site area Site Area (m²) 371.03 sq.mts. Road widening area (m²) 187.55 sq.mts. Parking Area(m²) Entire stilt floor for parking Area provided (m²) Height (m) As per G.O. Require 12.00 M No. of RWHPs No. of Trees Others Others Others Others Stilt & Terrace, Staircase, lifts & watch man room, toilets and power room Vacant site charges Rs. 7,493 Notification charges Rs. 39,305 OTHER DETAILS: Contractor's all Risk Policy No. Notarized Affidavit No.	Side (South) 2.00 M Green belt allround site area Site Area (m²) 371.03 sq.mts. Road widening area (m²) 187.55 sq.mts. Parking Area(m²) Entire stilt floor for parking area provided (m²) Height (m) As per G.O. Required 12.00 M No. of RWHPs No. of Trees Others Others DETAILS OF FEES PAID (Rs.Ps) TOTAL : Rs.39, Processing Fee Rs. 7,349.00 Development charges for built up area Stilt & Terrace, Staircase, lifts & watch man room, toilets and power room Vacant site charges Rs. 7,493.00 Notification charges Rs. 7,493.00 TOTAL CHARGES Rs. 39,305.00 OTHER DETAILS : Contractor's all Risk Policy No. Notarized Affidavit No.	Side (South)	Side (South)	Side (South)	Side (South)	Side (South)	

The Building permission is sanctioned subject to following conditions:

- 1. The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked.
- 2. If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees.
- 3. **Sanctioned Plan** shall be followed strictly while making the construction & shall be displayed at the site.
- 4. **Commencement Notice** shall be submitted by the applicant before commencement of the building.
- 5. **Completion Notice** shall be submitted after completion of the building.
- 6. **Occupancy Certificate** is compulsory before occupying any building.
- 7. **Public Amenities** such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.
- 8. Prior Approval should be obtained separately for any modification in the construction.

- 9. **Tree Plantation** shall be done along the periphery and also in front of the premises.
- 10. **Tot-lot** shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
- 11. Rain Water Harvesting Structure (percolation pit) shall be constructed.
- 12. **Space for Transformer** shall be provided in the site keeping the safety of the residents in view.
- 13. Garbage House shall be made within the premises.
- 14. Cellar and stilts approved for parking in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose.
- 15. **Stocking of Building Materials** on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
- 16. The Developer/Builder/Owner to provide service road wherever required with specified standards at their own cost.
- 17. A safe distance from Electrical Lines shall be followed as per rules.
- 18. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
- 19. All Public and Semi Public buildings shall provide facilities to physically handicapped persons.
- 20. The mortgaged built up area shall be allowed for registration only after an Occupancy Certificate is produced.
- 21. The Registration authority shall register only the permitted built up area as per sanctioned plan.
- 22. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built up area.
- 23. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
- 24. **Architect / Structural Engineer** if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the Commissioner.
- 25. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).

26. As per the undertaking executed in terms of A.P. Building Rules-2012,

- a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.
- b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
- c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions.
- d. The Owner / Builder should not deliver the possession of any part of built up area of the building, unless and until Occupancy Certificate is obtained from ULB after providing all the regular service connections to each portion of the building and duly submitting the following.
 - Building Completion Notice issued by the LTP duly certifying that the building is completed as per the sanctioned plan.

- ii. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
- iii. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
- iv. Insurance Policy for the completed building for a minimum period of three years.
- 27. **Structural Safety and Fire Safety Requirements** shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;
 - i. To provide one entry and one exit to the premises with a minimum width of 4.5mts, and height clearance of 5mts.
 - ii. Provide Fire resistant swing door for the collapsible lifts in all floors.
 - iii. Provide Generator, as alternate source of electric supply.
 - iv. Emergency Lighting in the Corridor / Common passages and staircase.
 - v. Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992.
 - vi. Manually operated and alarm system in the entire buildings;
 - vii. Separate Underground static water storage tank capacity of 25,000 liters Capacity.
 - viii. Separate Terrace Tank of 25,000 liters capacity for Residential buildings;
 - ix. Hose Reel, Down Corner.
 - x. Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts.
 - xi. Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety.
 - xii. Transformers shall be protected with 4 hours rating fire resist constructions.
 - xiii. To create a joint open spaces with the neighbors building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in setbacks area.

Encl: As above.

Yours faithfully, Sd/- B.RAMATHIRTHA CHIEF URBAN PLANNER (FAC) 7 - 1

//t.c.f.b.o//

97. Jenotaly ADMN. OFFICER (L) 19/5/12

To

The Commissioner, Vizianagaram Municipality, Vizianagaram District with a request to release the plans.

Copy to:

Sri.Ch.Surya Prakasa Rao, Dr.No.6-7-17, Ground Floor, Sai Gayathri Nivas, Pithala Vari Veedhi, Chinawaltair, Visakhapatnam.

The Vice Chairman's Peshi.

/I.T. Cell Incharge for uploading in VUDA website.