



# Visakhapatnam Urban Development Authority

PROCEEDINGS OF THE VICE CHAIRMAN, VUDA, VISAKHAPATNAM

PRESENT: SHRI Dr. N.YUVARAJ, IAS

## BUILDING PERMIT ORDER

Rc.No.6056/2012/L8, dated 5-3-2014

Sub:- VUDA – VSP – Planning – Approval of plans for construction of R.C.C. roof Slab Sales building M/s Hindustan Petroleum Corporation Limited with Ground floor in R.S.No.421/14p at Bhogapuram (V) & Mandal, Vizianagaram District – Applied by Smt Y. Rama Devi – Orders issued.

Read:- 1.Letter No.36/2013, dated 10-9-2013 of the Panchayat Secretary, Gram Panchayat, Bhogapuram.  
2.This office letter even No. dated 5-12-2012.  
3.Letter dated Nil received on 15-3-2013 of Smt Y. Rama Devi.  
4.This office letter even No. dated 22-10-2013.  
5.Letter dated 18-10-2013 of Smt Y. Rama Devi.  
6.Orders of the Vice Chairman, VUDA dated 23-11-2013.  
7.This office letter even No. dated 4-12-2013.  
8.Letter dated 20-1-2014 of Smt Y. Rama Devi.

\*\*\*\*\*

### ORDER:-

Your application submitted in the reference cited has been examined with reference to the rules and regulations in force and permission is hereby sanctioned conditionally as detailed below.

<b>A APPLICATION AND LICENSED PERSONAL DETAILS :</b>									
1	Applicant	Smt Y. Rama Devi							
2	Developer/Builder	Smt Y. Rama Devi				Lic No.	--		
3	Licensed Technical Person	Sri M.Ramesh				Lic No.	59 (Valid from 2011-2012)		
4	Structural Engineer	--				Lic No.	--		
5	Others	--				--			
<b>B SITE DETAILS</b>									
1	S.No. / T.S. No.	R.S.No.421/14p							
2	Premises / D.No.	--							
3	Plot No.	--							
4	Layout / Sub Div. No.	--							
5	Street	--							
6	Locality	Bhogapuram (V) & Mandal							
7	Town / City	Vizianagaram District							
<b>C DETAILS OF PERMISSION SANCTIONED</b>									
1	Floors	Ground		Upper floors		Parking floors			
2	Use	No.	Area (m <sup>2</sup> )	No.	Area (m <sup>2</sup> )	Level	No.	Area (m <sup>2</sup> )	
a	Petrol Bunk	1	32.56	--	--	Stilt	--	--	
b	Commercial	--	--	--	--	Cellar	--	--	
c	Others	--	--	--	--	U. Floors	--	--	

d	No. of floors	--	--	--	--	--	--	--
3	Setbacks (m)	Front (East)		Rear (West)		Side-I (South)		Side-II (North)
		14.60		4.00		20.00		22.10
4	Site Area (m <sup>2</sup> )	2227.50						
5	Road effected area (m <sup>2</sup> )	--						
6	Net Area (m <sup>2</sup> )	2227.50						
7	Tot-lot Area (m <sup>2</sup> )	--						
8	Height of Building (m)	--						
9	No. of RWHPs	--						
10	No. of Trees	--						
11	Others	--						
<b>D</b>	<b>DETAILS OF FEES PAID (Rs.Ps) TOTAL : Rs.1,26,215.00</b>							
1	Processing fees	Rs.10,000.00						
2	Development charges for Built-up area	Rs.1,465.00						
3	Development charges for Vacant area	Rs.1,09,750.00						
4	Notification charges	Rs.5,000.00						
5	<b>Total</b>	<b>Rs.1,26,215.00</b>						

The approval of plans for construction of R.C.C. roof Slab Sales building M/s Hindustan Petroleum Corporation Limited with Ground floor in R.S.No.421/14p at Bhogapuram (V) & Mandal, Vizianagaram District applied by Smt Y. Rama Devi is sanctioned subject to following conditions:

1. **The permission accorded does not confer any ownership rights, At a later stage if it is found that the documents are false and fabricated the permission will be revoked.**
2. **If construction is not commenced within one year, building application shall be submitted afresh duly paying required fees.**
3. **Sanctioned Plan** shall be followed strictly while making the construction & shall be displayed at the site.
4. **Commencement Notice** shall be submitted by the applicant before commencement of the building.
5. **Completion Notice** shall be submitted after completion of the building.
6. **Occupancy Certificate** is compulsory before occupying any building.
7. **Public Amenities** such as Water Supply, Electricity Connections will be provided only on production of occupancy certificate.
8. **Prior Approval should be obtained separately for any modification in the construction.**
9. **Tree Plantation** shall be done along the periphery and also in front of the premises.
10. **Tot-lot** shall be fenced and shall be maintained as greenery at owners cost before issue of occupancy certificate.
11. **Rain Water Harvesting Structure** (percolation pit) shall be constructed.
12. **Space for Transformer** shall be provided in the site keeping the safety of the residents in view.
13. **Garbage House** shall be made within the premises.



14. **Cellar and stilts approved for parking** in the plan should be used exclusively for parking of vehicles without partition walls & rolling shutters and the same should not be converted or misused for any other purpose.
15. This sanction is accorded on surrendering of **Road affected portion of the site to... (ULB)** at free of cost with out claiming any compensation at any time as per the undertaking submitted.
16. **Stocking of Building Materials** on footpath and road margin causing obstruction to free movement of public & vehicles shall not be done, failing which permission is liable to be suspended.
17. The Developer/Builder/Owner to provide service road wherever required with specified standards at their own cost.
18. A safe distance from Electrical Lines shall be followed as per rules.
19. If greenery is not maintained 10% additional property tax shall be imposed as penalty every year till the condition is fulfilled.
20. All Public and Semi Public buildings shall provide facilities to physically handicapped persons.
21. The mortgaged built up area shall be allowed for registration only after an Occupancy Certificate is produced.
22. The Registration authority shall register only the permitted built up area as per sanctioned plan.
23. The Financial Agencies and Institutions shall extend loans facilities only to the permitted built up area.
24. The Services like Sanitation, Plumbing, Fire Safety requirements, lifts, electrical installations etc., shall be executed under the supervision of Qualified Technical Personnel.
25. **Architect / Structural Engineer** if changed, the consent of the previous Architect / Structural Engineer is required and to be intimated to the Commissioner.
26. Construction shall be covered under the contractors all risk Insurance till the issue of occupancy certificate (wherever applicable).
27. **As per the undertaking executed in terms of A.P. Building Rules-2012,**
  - a. The construction shall be done by the owner, only in accordance with sanctioned Plan under the strict supervision of the Architect, Structural Engineer and site engineer failing which the violations are liable for demolition besides legal action.
  - b. The owner, builder, Architect, Structural Engineer and site engineer are jointly & severely responsible to carry out and complete the construction strictly in accordance with sanctioned plan.
  - c. The Owner, Builder, Architect, Structural Engineer and Site Engineer are jointly and severely are held responsible for the structural stability during the building construction and should strictly adhere to all the conditions.
  - d. The Owner / Builder should not deliver the possession of any part of built up area of the building, by way of Sale / Lease unless and until Occupancy Certificate is obtained from ULB after providing all the regular service connections to each portion of the building and duly submitting the following.
    - i. Building Completion Notice issued by the LTP duly certifying that the building is completed as per the sanctioned plan.
    - ii. Structural Stability Certificate issued by the Structural Engineer duly certifying that the building is structurally safe and the construction is in accordance with the specified designs.
    - iii. An extract of the site registers containing inspection reports of Site Engineer, Structural Engineer and Architect.
    - iv. Insurance Policy for the completed building for a minimum period of three years.

28. **Structural Safety and Fire Safety Requirements** shall be the responsibility of the Owner, Builder/ Developer, Architect and St. Engineer to provide all necessary Fire Fighting installations as stipulated in National Building Code of India, 2005 like;

- i. To provide one entry and one exit to the premises with a minimum width of 4.5mts. and height clearance of 5mts.
- ii. Provide Fire resistant swing door for the collapsible lifts in all floors.
- iii. Provide Generator, as alternate source of electric supply.
- iv. Emergency Lighting in the Corridor / Common passages and stair case.
- v. Two numbers water type fire extinguishers for every 600 Sq.mts. of floor area with minimum of four numbers fire extinguishers per floor and 5k DCP extinguishers minimum 2 Nos. each at Generator and Transformer area shall be provided as per I.S.I. specification No.2190-1992.
- vi. Manually operated and alarm system in the entire buildings;
- vii. Separate Underground static water storage tank capacity of 25, 000 liters Capacity.
- viii. Separate Terrace Tank of 25,000 liters capacity for Residential buildings;
- ix. Hose Reel, Down Corner.
- x. Automatic Sprinkler system is to be provided if the basement area exceed 200 Sq.mts.
- xi. Electrical Wiring and installation shall be certified by the electrical engineers to ensure electrical fire safety.
- xii. Transformers shall be protected with 4 hours rating fire resist constructions.
- xiii. To create a joint open spaces with the neighbours building / premises for maneuverability of fire vehicles. No parking or any constructions shall be made in setbacks area.

Sd/-R.J.VIDYULLATA  
CHIEF URBAN PLANNER

//t.c.f.b.o.//

ADMN.OFFICER (L)

21/3/14

To

The General Manager, District Industries Centre, Vizianagaram with a request to release the plans.

Copy to:

Smt Y. Rama Devi, D/o Ramu, D.No.3-31, Kapnamam (V), Sontyam Post, Ananadapuram (M) Visakhapatnam District.

The Vice Chairman's Peshi.

I.T. Cell In-charge for uploading in VUDA website.